

Lot	WT	ADG	SS	Sem %	p8	Rib	IMF	EMA
1	828	1.13	40	61*	12	10	6.1	132
2	824	1.10	45	72	13	9	5.1	135
3	826	1.12	37	85	9	6	4.8	137
4	776	1.11	40	89	9	6	5.4	147
5	860	1.15	42	63*	11	8	5.2	125
6	734	1.04	48	64*	10	7	4.6	134
7	796	1.01	39	84	13	12	5.7	122
8	786	1.09	37	83	11	8	3.7	132
9	726	0.99	40	56	11	7	4.4	126
10	700	0.97	38	87	11	7	5.1	128
11	716	0.97	40	95	9	7	4.5	120
12	746	1.09	38	91	12	9	5.4	121
13	786	1.11	39	89	9	7	5.5	120
14	826	1.04	37	91	10	7	5.1	137
15	790	1.07	39	85	14	10	6.1	124
16	727	0.99	37	85	9	6	4.6	130
17	760	1.02	38	95	13	9	6.2	121
18	758	0.93	40	83	9	6	4.3	140
19	WD							
20	734	1.04	39	91	12	7	5.6	120
21	708	0.98	38	90	9	6	4.8	134
22	760	1.05	41	71	11	7	3.6	147
23	710	0.95	38	66	9	6	4.4	135
24	702	0.99	39	80	10	6	5.1	131
25	864	1.17	42	84	14	9	4.8	134
26	770	1.03	38	90	12	9	6.1	122
27	742	1.03	40	90	11	8	5.3	137
28	728	0.98	38	82	12	8	4.7	121
29	776	1.01	38	87	10	7	4.3	136
30	822	1.16	35	79	9	6	4.3	124
31	812	1.13	40	86	11	7	4.5	146
32	788	1.08	40	88	10	7	4.4	134
33	776	1.12	40	88	10	7	5.6	120
34	826	1.09	40	63	10	7	5.8	136
35	748	1.00	39	80	13	10	6.1	126
36	738	1.02	35	61	10	7	5.4	124
37	766	1.06	40	78	10	7	4.4	131
38	726	0.99	42	94	10	7	5.8	127

Lot	WT	ADG	SS	Sem %	p8	Rib	IMF	EMA
39	756	1.02	41	88	13	8	4.8	136
40	693	0.93	39	59*	10	6	5.4	122
41	766	1.07	41	60	11	7	4.8	130
42	760	1.03	38	88	11	8	4.8	128
43	740	0.98	41	63*	8	6	4.8	118
44	742	0.99	41	76	10	7	5.1	121
45	746	0.99	42	97	12	8	5.1	132
46	770	1.01	39	94	12	8	4.5	135
47	718	0.97	38	58	13	9	5.8	120
48	770	1.03	40	90	12	9	5.2	145
49	730	0.98	34	50	8	6	4.3	134
50	730	1.05	39	80	8	6	5.7	143
51	702	0.99	38	89	12	8	6.2	130
52	656	1.00	37	85	11	7	5.4	118
53	702	1.03	38	92	11	8	5.6	130
54	706	1.01	40	93	9	6	4.1	124
55	728	1.03	38	74	13	9	5.6	123
56	760	1.11	41	80	8	6	4.3	124
57	696	1.01	38	96	8	6	4.5	118
58	710	0.89	39	89	9	6	4.5	126
59	686	0.91	43	90	8	6	4.5	123
60	666	0.96	38	95	7	5	4.4	115
61	714	0.92	37	89	9	6	4.4	128
62	752	0.99	40	71	11	7	4.3	146
63	694	0.95	38	89	12	7	4.7	120
64	686	1.00	36	79	12	9	5.2	117
65	680	0.94	38	94	11	7	4.8	116
66	740	1.02	42	96	11	7	4.7	128
67	686	1.00	38	87	13	8	5.2	122
68	726	0.97	39	81	8	6	4.5	142
69	684	0.91	41	54*	8	6	3.8	127
70	734	0.99	38	64	9	8	6.4	121
71	636	0.92	38	76	11	7	5.2	116
72	764	1.02	36	80	13	10	5.4	128
73	686	0.99	35	53	8	5	4.2	118
74	682	0.99	39	93	10	6	4.5	114
75	726	0.90	44	75	11	7	4.7	123
76	646	0.87	38	82	9	7	4.8	112

Lot	WT	ADG	SS	Sem %	p8	Rib	IMF	EMA
77	716	0.99	42	75	8	6	4.3	143
78	698	0.91	40	90	8	5	4.3	123
79	682	0.97	36	93	12	8	5.2	134
80	678	0.90	37	74	11	8	5.2	136
81	746	1.00	38	89	14	11	6.4	140
82	794	1.02	39	74	9	6	5.6	142
83	752	1.00	40	98	10	7	5.5	120
84	716	0.95	41	92	8	6	4.5	130
85	858	1.15	39	92	14	10	5.2	137
86	808	1.12	39	95	11	7	4.4	138
87	834	1.04	43	83	13	8	5.4	146
88	722	1.04	39	66	9	6	4.6	126
89	WD							
90	WD							
91	818	1.20	40	87	14	12	5.3	131
92	746	0.96	34	86	9	6	3.8	134
93	776	1.04	44	70	12	8	4.7	130
94	754	1.09	38	77	9	6	4.2	117
95	748	0.98	47	90	9	6	4.7	131
96	674	0.94	36	91	9	7	4.8	135
97	750	1.00	35	73	12	9	4.7	125
98	690	0.98	38	85	9	6	4.1	121
99	698	0.90	40	92	10	7	4.8	133
100	722	0.98	38	88	16	9	5.8	116
101	756	0.95	42	86	10	7	4.3	132
102	734	0.97	45	83	9	6	4.5	115
103	758	1.09	38	76	13	9	5.4	116
104	666	0.90	39	58	9	7	3.6	111
105	640	0.89	37	90	7	5	4.3	110
106	652	0.92	36	96	11	7	4.6	114
107	634	0.93	37	78	12	7	6.2	112
108	666	0.91	37	87	9	6	5.6	116
109	660	0.90	37	82	10	8	5.7	117
110	WD							
111	702	1.02	33	81	15	10	5.7	115
112	684	0.98	37	70	13	7	5.8	114
113	676	0.95	37	74	9	6	5.1	128
114	738	0.98	40	71	11	7	5.7	120
115	646	0.96	38	83	12	9	5.7	124

Lot	WT	ADG	SS	Sem %	p8	Rib	IMF	EMA
116	640	0.95	40	84	9	7	4.6	114
117	678	0.93	38	87	9	6	5.4	114
118	680	0.98	40	85	8	6	5.1	115
119	662	0.98	38	81	16	10	6.4	111
120	658	0.91	36	91	11	7	5.5	121
121	750	1.02	38	88	15	12	6.1	118
122	WD							
123	676	0.99	37	70	13	9	4.5	122
124	682	0.90	37	97	11	7	5.4	118
125	760	1.03	39	77	12	7	5.8	126
126	702	1.02	38	90	10	7	4.7	118
127	700	0.97	41	81	10	7	5.3	118
128	721	0.99	38	88	14	9	5.7	116
129	742	0.98	37	89	11	8	4.5	118
130	716	0.96	40	83	12	9	5.3	116
131	726	0.97	38	89	8	6	4.6	121
132	730	1.05	38	95	14	10	5.1	114
133	752	1.01	40	75	11	8	4.7	111
134	742	1.02	40	78	12	10	5.4	118
135	720	0.98	41	62	15	10	5.7	126
136	700	0.97	38	84	9	7	4.6	134

Supplementary Data

Scanned by David Reid, Accreditation Number 1011, on 04/09/24

Physical, semen morphology & motility

BullCheck and semen Morphology conducted by Stacey Rae, Monto Veterinary Surgery & Rocky Repro



ADG is calculated after subtracting a birthweight of 32 kg

Vaccinations & Drenches

Tick fever (3 Germ) administered as weaners
 Vibrio, Pesti, 7 in 1 administered on 27/06/24
 Vibrio, Pest, 7 in 1 & 3 day booster administered 1/8/24

Tick Clearance

Bulls are pre-treated for movement into tick free zones.
 Dectomax injection 2/9/24
 Duomax 13/9/24

Semen morphology results exceeded thresholds for the following lots:

Lot 1. 61* - 34 VT; Lot 5. 63* - 25 VT; Lot 6. 64* - 28 PC;
 Lot 40. 59* - 36 HT; Lot 43. 63* - 24 PD; Lot 69. 54* - 27 V&T