

LOT	Horn	Wt	ADG	SS	Sem%	P8 Ft	Rib Ft	IMF	EMA
1	P	733	1.00	37	82	11	8	5.2	126
2	P	763	1.00	38	72	13	10	4.8	133
3	PS	863	1.13	46	90	12	10	5.7	143
4	P	757	1.04	39	85	12	9	4.8	115
5	PS	827	1.10	40	80	14	9	4.3	130
6	P	809	1.10	39	88	15	12	5.8	138
7	PS	851	1.19	45	70	14	9	4.8	130
8	P	801	1.08	43	85	14	9	4.3	117
9	P	753	1.04	43	90	9	6	4.6	128
10	P	789	1.11	38	86	13	10	4.5	131
11	PP	787	1.10	44	83	12	9	4.8	131
12	PP	823	1.16	40	83	12	9	4.7	135
13	PP	765	1.12	41	83	13	9	4.2	124
14	PP	771	1.10	38	61	13	8	5.4	131
15	P	801	1.08	40	81	12	9	3.5	130
16	P	769	1.12	45	72	10	7	4.3	128
17	PS	763	1.04	36	71	14	12	4.4	128
18	PS	763	1.02	37	89	12	8	4.7	126
19	PS	785	1.09	36	85	10	7	4.2	144
20	P	745	0.99	39	94	9	6	3.4	140
21	P	779	1.06	40	85	11	7	3.3	126
22	PS	755	1.05	40	80	14	8	5.2	134
23	PP	713	1.02	40	89	7	6	5.5	133
24	P	749	0.98	42	72	9	7	5.8	126
25	D	767	1.08	40	81	13	10	4.2	135
26	D	783	1.09	44	63	8	6	3.7	132
27	PS	801	1.09	41	65	16	12	6.2	122
28	PS	773	1.06	38	56	10	7	4.3	127
29	P	759	1.07	43	82	14	11	4.6	125
30	D	713	0.98	40	88	9	6	3.8	131
31	PP	807	1.12	39	70	6	5	4.3	142
32	D	713	0.99	37	70	11	9	4.7	128
33	P	733	0.96	34	82	7	5	4.5	118
34	PS	745	1.01	42	85	10	6	4.6	136
35	P	743	1.02	36.5	88	12	8	4.6	132
36	D	737	1.02	37	71	10	7	5.3	128

LOT	Horn	Wt	ADG	SS	Sem%	P8 Ft	Rib Ft	IMF	EMA
37	P	723	1.05	38	76	8	6	4.8	126
38	PS	757	1.07	42.5	88	12	7	5.8	131
39	PP	757	1.13	38.5	96	14	11	5.3	115
40	D	679	0.95	41	85	9	7	3.8	124
41	D	699	0.98	35	76	12	7	5.2	125
42	D	703	0.99	36.5	68	12	7	3.5	128
43	D	769	1.10	41	83	10	7	3.6	128
44	D	775	1.12	36.5	84	13	8	4.7	130
45	D	751	0.99	37	83	9	6	4.8	115
46	P	735	1.07	45	73	10	6	4.8	118
47	PS	717	1.00	42	82	10	6	4.2	124
48	PS	735	1.08	40	78	13	8	5.2	124
49	PS	733	1.00	45	71	9	6	3.7	130
50	P	707	0.98	43	82	12	7	5.3	118
51	D	723	1.08	37	78	10	7	3.7	137
52	P	707	0.97	36	89	11	7	5.6	112
53	PS	759	1.07	40	84	11	7	3.7	122
54	PS	769	0.98	40	80	9	6	5.8	135
55	D	859	1.14	43	85	12	9	3.7	136
56	P	695	0.98	39	87	8	6	3.8	126
57	PS	767	1.03	43	94	10	7	4.6	117
58	PP	749	1.03	38	82	10	7	3.7	135
59	D	715	0.94	36	83	9	7	3.7	134
60	P	785	1.12	39	58	9	7	3.8	122
61	PS	711	1.02	37	57	9	6	3.5	125
62	D	789	1.06	44	84	9	6	3.7	127
63	PS	697	1.00	40	82	6	5	3.2	133
64	PP	705	1.00	38	93	9	6	3.6	121
65	WD								
66	P	767	1.05	38.5	82	11	8	4.3	136
67	PP	779	1.05	39	83	12	8	4.6	133
68	P	779	1.10	37	85	13	8	3.8	128
69	PS	723	1.01	41	80	10	7	3.8	124
70	P	741	1.04	38.5	73	9	7	4.8	130
71	D	763	1.07	45	65	8	6	5.8	130
72	PP	751	1.12	41	85	14	9	4.4	127

LOT	Horn	Wt	ADG	SS	Sem%	P8 Ft	Rib Ft	IMF	EMA
73	P	735	1.02	42.5	70	10	7	4.2	118
74	D	763	1.07	34.5	71	9	6	5.4	118
75	WD								
76	P	693	0.97	42	93	10	8	5.3	124
77	P	711	0.98	39	90	10	7	4.2	124
78	P	661	0.91	41	83	7	5	4.5	123
79	PS	697	0.97	40	94	9	6	4.3	124
80	PS	755	1.08	42	81	12	8	4.8	122
81	PP	777	1.06	38	86	9	6	4.6	124
82	D	751	0.98	39	91	9	6	4.2	124
83	P	713	0.99	39	65	13	9	5.2	122
84	P	737	1.01	40	91	9	6	3.4	118
85	P	757	1.07	39	62	17	12	5.8	114
86	D	781	1.02	40	85	11	8	5.2	130
87	PP	695	0.97	36.5	84	9	7	4.2	115
88	P	741	1.06	40.5	79	13	9	5.1	120
89	PP	695	0.98	40	78	9	7	4.6	128
90	D	717	0.97	39	79	7	5	4.1	135
91	WD								
92	PP	703	0.96	41	67	13	9	4.8	126
Group 2: Lot 92 - 120									
93	WD								
94	P	767	1.04	43	70	12	9	5.6	110
95	PS	761	1.07	36.5	76	8	6	3.8	130
96	P	755	1.05	40	70	9	7	5.7	110

LOT	Horn	Wt	ADG	SS	Sem%	P8 Ft	Rib Ft	IMF	EMA
97	P	763	1.00	43	72	15	10	5.8	128
98	P	715	1.02	39	97	12	8	5.3	117
99	PS	689	1.03	34.5	81	13	8	5	128
100	WD								
101	PS	719	0.92	40	88	9	7	3.7	126
102	P	661	0.96	43	64	8	6	3.7	134
103	PS	657	0.96	35	87	12	8	4.8	120
104	D	705	0.99	38	84	8	6	4.8	123
105	PP	793	1.09	43	76	12	8	3.7	118
106	D	697	0.98	39	64	11	8	5.8	121
107	D	783	1.05	36	82	13	9	4.2	124
108	P	753	1.23	38	79	15	12	6.3	118
109	PP	727	1.01	39.5	77	9	7	3.8	123
110	P	681	0.98	38	83	9	7	4.2	128
111	P	691	0.99	39	79	9	6	4.6	130
112	PP	677	0.99	39	72	11	8	4.7	113
113	P	735	1.00	37	80	13	9	6.2	114
114	PP	739	0.98	37	76	11	7	4.7	115
115	PP	715	1.01	38	85	10	8	4.5	114
116	P	775	1.09	39	70	10	7	5.5	122
117	PP	711	0.93	39	73	15	9	6.1	122
118	PP	719	1.00	37	85	11	7	4.7	124
119	WD								
120	PS	735	0.96	35	77	12	9	5.8	135

EBV Data – please include and update your records for these lots:

Lot 45 ES Rowan R538

200D	400D	600D	SS	EMA	P8	Rib	Dom\$	Exp \$
+17	+24	+38	+0.5	+4.5	-1.2	-0.8	+17	+14

Lot 73 ES Randall R566 (P)

200D	400D	600D	SS	EMA	P8	Rib	Dom\$	Exp \$
+9	+25	+31	+3.3	+1.6	-0.5	+0.2	+20	+24

Lot 94 ES Robert R126 (P)

200D	400D	600D	SS	EMA	P8	Rib	Dom\$	Exp \$
+14	+14	+21	+1.8	+3.1	+0.2	+0.2	+12	+12

Lot 97 ES Ryan R598 (P)

200D	400D	600D	SS	EMA	P8	Rib	Dom\$	Exp \$
+11	+12	+20	+1.0	+2.1	+0.6	+1.6	+16	+22

Lots 1-92 have been managed together as a single group on irrigated oats crop since July 2021, and Lots 92-120 have been managed on dry land oats crop in group 2.

Supplementary Data

Scanned by David Reid, Accreditation Number 1011, on 07/09/21

Physical, semen morphology & motility

Conducted by Stacey Rae, Monto Veterinary Surgery & Rocky Repro
ADG is calculated after subtracting a birthweight of 32 kg

Vaccinations & Drenches

Tick fever (3 Germ) administered as weaners

3-day Sickness booster given on 28/08/21

7 in 1, Vibrio & Pesti administered on 08/7/21 & 25/08/21

Tick Clearance

Bulls are pre-treated for movement into tick free zones.

Dectomax injection 8/9/21